

schuster®

IDRA 20 5S



ECODESIGN2022

A++



MAX - MIN		Mod. 20
Potenza globale / Heat input / Puissance thermique totale / Thermische Gesamtleistung / Potencia global / Potência global	kW	20,1 - 6,8
Potenza nominale / Nominal heat output / Puissance nominale / Thermische Nennleistung / Potencia nominal / Potência nominal	kW	19,2 - 6,5
Potenza resa all'acqua / Water heat output / Puissance chauffage de l'eau / Wasser Ausbeute Wärmeleistung Potencia de entrega al agua / Potência nominal para a água	kW	17,4 - 5,4
Potenza resa all'ambiente / Space heat output / Environnement délivrance d'énergie / Umwelt Ausbeute Wärmeleistung Potencia de entrega al ambiente / Potência nominal para o ambiente	kW	1,8 - 1,1
Consumo orario pellet / Pellet hourly consumption / Consommation horaire de granulés / Pelletverbrauch pro Stunde Consumo horario de pellets / Consumo de pellet por hora	Kg - h	4,19 - 1,41
Efficienza / Efficiency / Rendement à / Ausbeute / Eficiencia / Eficiência	%	95,9 - 95,6
Diametro uscita fumi / Smoke outlet tube / Sortie diamètre fumée / Durchmesser Rauchabzug / Conducto de descarga de humos / Saída de fumos	Ø mm	80
Capacità serbatoio pellet / Tank capacity / Capacité réservoir granulés / Fassungsvermögen Pelletbehälter / Capacidad del depósito de pellets Capacidade do reservatório de pellet	kg	38
Autonomia / Autonomy / Autonomie / Autonomie / Autonomia / Autonomia	h	27 - 9
Potenza elettrica di esercizio / Nominal power input / Puissance absorbée nominale / Nennleistung Energia eléctrica para ejercer Entrada de potência nominal	W	320 - 72
Peso netto / Net Weight / Poids net / Nettogewicht / Peso neto	Kg	230
Emissioni CO a potenza min - max (13% di O ₂) / Emission / Émissions / Emissionen / Emisiones / Emissões	mg/m ³	107 - 23
Emissioni polveri a potenza min - max (13% di O ₂) / Emission / Émissions / Emissionen / Emisiones / Emissões	mg/m ³	12 - 10
Emissioni NOX a potenza min - max (13% di O ₂) / Emission / Émissions / Emissionen / Emisiones / Emissões	mg/m ³	114 - 100
Volume riscaldabile / Heatable volume / Volume chauffable / Beheizbares Volumen / Volumen calentable / Volume aquecível	m ³	440

ID 00271022



Bianco / White



Boudeaux / Burdeos




Nero / Black


IDRA 20 5S

ECODESIGN2022

A++



Dimensionale mm / Dimensional mm / Dimensions mm / Abmessungen mm / Dimensiones mm / Dimensão mm



schuster®



IDRA 24 5S

ECODESIGN2022

A++



MAX - MIN		Mod. 24
Potenza globale / Heat input / Puissance thermique totale / Thermische Gesamtleistung / Potencia global / Potência global	kW	24,0 - 8,4
Potenza nominale / Nominal heat output / Puissance nominale / Thermische Nennleistung / Potencia nominal / Potência nominal	kW	22,8 - 7,9
Potenza resa all'acqua / Water heat output / Puissance chauffage de l'eau / Wasser Ausbeute Wärmeleistung Potencia de entrega al agua / Potência nominal para a água	kW	20,9 - 6,6
Potenza resa all'ambiente / Space heat output / Environnement délivrance d'énergie / Umwelt Ausbeute Wärmeleistung Potencia de entrega al ambiente / Potência nominal para o ambiente	kW	1,9 - 1,3
Consumo orario pellet / Pellet hourly consumption / Consommation horaire de granulés / Pelletverbrauch pro Stunde Consumo horario de pellets / Consumo de pellet por hora	Kg - h	5 - 1,7
Efficienza / Efficiency / Rendement à / Ausbeute / Eficiencia / Eficiência	%	94,9 - 94,2
Diametro uscita fumi / Smoke outlet tube / Sortie diamètre fumée / Durchmesser Rauchabzug / Conducto de descarga de humos / Saída de fumos	Ø mm	80
Capacità serbatoio pellet / Tank capacity / Capacité réservoir granulés / Fassungsvermögen Pelletbehälter / Capacidad del depósito de pellets Capacidade do reservatório de pellet	kg	64 - 38
Autonomia / Autonomy / Autonomie / Autonomie / Autonomia / Autonomia	h	22 - 7,5
Potenza elettrica di esercizio / Nominal power input / Puissance absorbée nominale / Nennleistung Energia eléctrica para ejercer Entrada de potência nominal	W	345 - 83
Peso netto / Net Weight / Poids net / Nettogewicht / Peso neto	Kg	230
Emissioni CO a potenza min - max (13% di O ₂) / Emission / Émissions / Emissionen / Emisiones / Emissões	mg/m ³	195 - 36
Emissioni polveri a potenza min - max (13% di O ₂) / Emission / Émissions / Emissionen / Emisiones / Emissões	mg/m ³	10 - 10
Emissioni NOX a potenza min - max (13% di O ₂) / Emission / Émissions / Emissionen / Emisiones / Emissões	mg/m ³	109 - 99
Volume riscaldabile / Heatable volume / Volume chauffable / Beheizbares Volumen / Volumen calentable / Volume aquecível	m ³	510

ID 00271023



Bianco / White



Boudeaux / Burdeos




Nero / Black

IDRA 24 5S

ECODESIGN2022

A++



Dimensionale mm / Dimensional mm / Dimensions mm / Abmessungen mm / Dimensiones mm / Dimensão mm

